









































### GENERAL APPLICATIONS

	Number	Description
	212541	"Y" battery connector. Used for splitting the power supply from the cigarette lighter or 12-volt power supply to the Monitor, printer, or other accessories. Wt., 4 oz.
	212636	6-ft. vehicle extension cable for Monitor 4000E or 2000 only. Wt., 5 oz.
	212638	Battery adapter for Monitor or Genisys. Used for under-hood access to 12-volt power supply. Wt., 4 oz.
	212641	12-volt power supply. Use when battery power is unavailable and you need to review data from the Monitor. Wt., 1 lb., 4 oz.
	3305-71	DB-25 extension cable to connect 25-pin Monitor and Genisys adapter cables. Wt., 13 oz.
	3305-72	DB-25 to 8-pin DIN extension cable. Use with Enhanced Monitor 4000 only, to connect 8-pin vehicle adapter cables. Wt., 12 oz.
	3421-04	AC/DC power adapter for Genisys. Wt., 1 lb. 7 oz.
	3421-08	6' PC to scan tool cable, DB-9 to RJ-45. Wt., 4 oz.
	3421-44	20' PC to scan tool cable, DB-9 to RJ-45. Wt., 8 oz.
	239180	9.6V Genisys battery. Wt., 7 oz.

















### SYSTEM SMART CABLES AND INSERTS

SSI 25-Pin	Number	Description	Applications
	3421-88	OBD II Smart Cable Requires 2006 software (Genisys only) Wt., 1 lb. 2 oz.	Replaces 3305-73 cable and all system smart inserts
	3305-73	System Smart Insert OBD II 25-pin cable Wt., 13 oz.	Use with Monitor Elite, Monitor Enhanced or Genisys. Use with 25-pin SSI.
	3306-05	Chrysler System Smart Insert Wt., 2 oz.	'95-'06 Chrysler '96-'06 OEM Enhanced Kelsey-Hayes
	3306-11	GM ABS Smart Insert Wt., 2 oz.	
	3306-12	GM SPS Reprogramming Smart Insert Wt., 2 oz.	SPS and all Modules Reprogramming
	3306-13	Saturn Smart Insert Wt., 2 oz.	Saturn air bag only '04
	3306-14	Dodge/Cummins Smart Insert Wt., 2 oz.	24-valve Cummins engine and '98 and up transmissions '04
	3306-15	GM Smart Insert Wt., 2 oz.	Grand Prix ABS '98-2002
	3306-16	Mercedes-Benz Smart Insert Wt., 2 oz.	Transmission only. Use 3306-22 to access engine '04
	3306-17	Mercedes-Benz Smart Insert Wt., 2 oz.	All engine configurations and V12 right bank. '04
	3306-18	Mercedes-Benz Smart Insert Wt., 2 oz.	Transmission data access '04
	3306-19	Mercedes-Benz Smart Insert Wt., 2 oz.	V12 engine configurations. Left bank only. '04
	3306-20	Nissan Smart Insert Wt., 2 oz.	Use with 2003 & 2005 Asian Import Software '04
	3306-21	Chrysler Smart Insert Wt., 2 oz.	Chrysler OEM Enhanced '04
	3306-22	CAN/OBD II Smart Insert Wt., 2 oz.	Control Area Network plus all other OBD II protocols. '04
	3306-23	Mercedes-Benz Smart Insert Wt., 2 oz.	MB diagnostic module '04
	3306-24	Dodge Smart Insert Wt., 2 oz.	Dodge diesel SCI '04
	3306-26	Ford Smart Insert Wt., 2 oz.	Ford UBP #1 protocol systems '04
	3306-27	Ford Smart Insert Wt., 2 oz.	Mid Speed (MS) CAN protocol systems '04

### SYSTEM SMART CABLES AND INSERTS

SSI 25-Pin	Number	Description	Applications
	3306-28	Saturn Smart Insert Wt., 2 oz.	Saturn ABS system
	3306-29	Volvo Smart Insert Wt., 2 oz.	Volvo system
	3306-31	GM Smart Insert Wt., 2 oz.	Single wire low speed CAN
	3306-32	Honda Smart Insert Wt., 2 oz.	OBD II Body, Chassis engine and transmission
	3306-33	Toyota Smart Insert Wt., 2 oz.	Engine
	3306-34	Toyota Smart Insert Wt., 2 oz.	Transmission
	3306-35	Toyota Smart Insert Wt., 2 oz.	ABS
	3306-36	Toyota Smart Insert Wt., 2 oz.	Traction Control
	3306-37	Toyota Smart Insert Wt., 2 oz.	Suspension
	3306-38	Toyota Smart Insert Wt., 2 oz.	Air Bag
	3306-41	Toyota Smart Insert Wt., 2 oz.	Air Conditioning
	3306-48	Heavy-Duty Smart Insert Wt., 2 oz.	J1587 / J1708 and J1939 / CAN









### DOMESTIC APPLICATION

GM	Number	Description	Model	Year
	212550	Adapter block (gray) Wt., 3 oz.	GM 5-pin diagnostic connectors	'81-'82
	212633	GM 14" vehicle adapter cable. Wt., 3 oz.	GM most systems	'82-'95
	212653	Tuned port inj. adapter cable (gray). Wt., 4 oz.	GM 5.0L TPI GM 5.7L TPI GM 2.8L V6 P4	'86 '86-'89 '87-'88
	213486	UNIV B 12" adapter cable. Wt., 4 oz.	GM ABS Teves II and Kelsey Hayes	'88-'94
	213487	CARB/UNIV A 12" adapter cable. Wt., 4 oz.	GM 4.3L GM ABS	'80/2 '88-'95
	3305-17	Geo/Isuzu adapter cable. Wt., 6 oz.	GM Geo & Spectrum GM Isuzu and Luv	'87-'95 '81
	3305-18	UNIV 80 adapter cable. Wt., 3 oz.	GM 3.8L	'80/2
	238464	GM ABS cable. Wt., 3 oz.	GM ABS Kelsey Hayes	'90-'95
Ford	Number	Description	Model	Year
	3305-27	Ford ABS cable. Wt., 3 oz.	Ford ABS Mystique Econoline Van	'95 '94-'96
	3305-58	Ford II 14" adapter cable (gray). Wt., 6 oz.	Ford EEC IV MCU, ABS, suspension. Use with Pathfinder II or newer software.	'81-'95
	3305-84	Ford III, 25-pin, 18" cable (red) with 4' power lead. Wt., 10 oz.	Ford EEC IV DCL ABS, suspension. Use with Pathfinder III or newer software.	'83-'95
	213487	CARB/UNIV A 12" adapter cable. Wt., 4 oz.	Ford EEC II & III	'79-'83
	3305-74	Universal "C", 8-pin, 12" cable. Wt., 4 oz.	Ford/Mazda mfd. vehicles, ABS.	'93-'94
	213596	MECS 6' adapter cable. Wt., 4 oz.	Ford/Mazda mfd. vehicles.	'88-'95
	3305-14	MET adapter cable. Wt., 6 oz.	Ford/Mazda mfd. vehicles.	'91-'95
	3305-19	MECS ABS adapter cable. Wt., 2 oz.	Ford/Mazda ABS.	'89-'93












# ELECTRONIC DIAGNOSTICS

## Accessories and Cables












### DOMESTIC APPLICATION

Chrysler	Number	Description	Model	Year
	212635	Standard 12" adapter cable. Wt., 4 oz.	Chrysler	'84-'95
	3305-65	Chrysler III 25-pin, 18" cable. Wt., 12 oz.	LH Chrysler CCD	'93-'95 '88-'95
	3305-22	Chrysler CCD 14" adapter cable. Wt., 10 oz.	Chrysler CCD with 4000E Non Enhanced only	'88-'95
	213487	CARB/UNIV A 12" adapter cable. Wt., 4 oz.	Chrysler Import/ 2/3/9-pin connector Colt Conquest TSI	Most '85-'94 '84-'86
	216094	Universal test leads. Wt., 2 oz.	Chrysler/Mitsubishi	
	3305-20	Mitsubishi/Hyundai cable. Wt., 3 oz.		Most
	3305-92	Chrysler OBD II "Y" adapter.	Use on Talon, Avenger, & Sebring	'95, 2002 Wt., 4 oz.
	3305-93	Chrysler OBD II to 6 pin adapter.	Use for accessing CCD systems at the J1962 connector.	'95, '96 Wt., 4 oz.

### ASIAN APPLICATIONS

	Number	Description	Model	Year
	212633	GM 14" adapter cable Wt., 3 oz.	Isuzu Pickup (3.1L) Rodeo Trooper II	'91-'95 '91-'95 '89-'95
	213486	UNIV B cable 12" adapter cable Wt., 4 oz.	Geo/Metro Suzuki/Swift	'91-'95 '89-'95
	213487	CARB/UNIV A 12" adapter cable Wt., 4 oz.	Mitsubishi Starion Mirage Galant Cordia Tredia	'84-'86 '85-'95 '85-'95 '84-'95 '84-'95
	213487	CARB/UNIV A 12" adapter cable Wt., 4 oz.	Suzuki Swift GT Swift Geo/Metro	'90-'95 '89-'95 '89-'95
	213487	CARB/UNIV A 12" adapter cable Wt., 4 oz.	Daihatsu Charade Rocky	'89-'95 '90-'95
	213487	CARB/UNIV A 12" adapter cable Wt., 4 oz.	Chrysler Colt Conquest TSI	'84-'94 '84-'86
	3305-68	Honda/Acura Jumper Wt., 2 oz.	Honda Acura	'89-'95 '91-'95
	213596	MECS 6" adapter cable Wt., 5 oz.	Mazda	'83-'95
	3305-14	MET adapter cable Wt., 6 oz.	Mazda 323/Protege 929 Miata MX-3	'90-'95 '92-'95 '90-'95 '92-'95
	216044	Nissan 12" adapter cable Wt., 4 oz.	Nissan	'87-'95
	216094	Universal test leads Wt., 2 oz. Hyundai	Daihatsu, Mitsubishi	'89-'92 '85-'88






### ASIAN APPLICATIONS

	Number	Description	Model	Year
	3305-13	Toyota/Lexus adapter cable. Includes auxiliary probe and power adapter. Wt., 10 oz.	Toyota/Lexus Lexus-Engine Camry-Engine Cressida-Engine Lexus MR2 Cressida Supra Camry Celica Corolla Starlet Truck 4Runner Van	'90-'93 '92-'94 '89-'92 '89-'93 '85-'91 '83-'92 '83-'91 '83-'94 '85-'91 '85-'91 '83-'84 '85-'91 '91 '90
	3305-15	Subaru adapter cable Wt., 6 oz.	Subaru SPFI MPFI (Except Justy) EFC (Justy)	'87-'93 '88-'93 '88-'90
	3305-16	Toyota adapter cable Wt., 5 oz.	Toyota Cressida Supra	'83-'84 '83-'84
	3305-17	Geo/Isuzu adapter cable Wt., 6 oz.	Isuzu I-Mark (Fuel Inj.) I-Mark (Carb.) I-Mark Impulse Pickup, Amigo (2.3 & 2.6L) Rodeo Trooper II	'88-'89 '87-'89 '85-'86 '84-'92 '88-'93 '91-'93 '89-'91
	3305-17	Geo/Isuzu adapter cable Wt., 6 oz.	GM Import Spectrum Storm Geo/Metro	'87-'89 '90-'93 '90-'93
	3305-19	MECS ABS Cable Mazda ABS Wt., 8 oz.	626/MX-6 MX-3	'92-'93 '92-'93
	3305-48	Mitsubishi/DS adapter cable Wt., 8 oz.	Mitsubishi Diamante Precis 3000GT Truck Eclipse Starion Mirage Montero Van Sigma Galant	'92-'93 '90-'93 '91-'93 '89-'93 '90-'93 '87-'89 '89-'93 '89-'93 '87-'90 '89-'91 '87-'93
	3305-48	Mitsubishi/DS adapter cable Wt., 8 oz.	Chrysler Import Stealth D50 Truck Laser Vista Talon Colt Summit Raider Conquest TSI	'91-'93 '91-'93 '91-'93 '89-'93 '90-'93 '88-'93 '89-'93 '89 '87-'89
	3305-48	Mitsubishi/DS adapter cable Wt., 8 oz.	Hyundai Sonata Scoupe Excel (MPI only)	'89-'93 '91-'92 '90-'92
	3305-124	Accord adapter cable Wt., 4 oz.	Accord	'92-'95
	3305-141	Nissan OBD I and II Wt., 4 oz.	Nissan	'89-'99








# ELECTRONIC DIAGNOSTICS

## Accessories and Cables

### EUROPEAN

	Number	Description	Model	Year
	3306-47	38 Pin SSI Wt., 8 oz.	Mercedes	'86-'05
	3421-41	38 Pin adapter cable Wt., 8 oz.	Mercedes	'86-'05
	3421-42	1 Pin adapter cable Wt., 8 oz.	Mercedes	'86-'95
	3421-43	VW 4 pin adapter cable Wt., 8 oz.	Volkswagen	'86-'94
	3421-76	BMW adapter cable Wt., 8 oz.	BMW	'87-'05

### TECH 2 FLASH

	Number	Description
	3000095	DLC cable use with Tech 2 Flash adapter, 10'. Wt., 1 lb., 8 oz.
	3000096	Cigarette lighter power cable Wt., 4 oz.
	3000097	Battery adapter power cable Wt., 10 oz.
	3000098	OBD II 16-pin DLC adapter. '95 to current OBD II. Wt., 4 oz.
	3000099	GM 12-pin NAO DLC adapter '82-'95 GM applications. Wt., 4 oz.
	3000109	DLC loopback adapter for Tech 2 Flash troubleshooting. Wt., 4 oz.
	3000113	110 volt to 12-volt converter. Wt., 1 lb., 8 oz.

### Nemisys Cables

	Number	Description
	3774-01	DB25 to OBD II cable
	3774-02	DB25 to GM OBD I cable
	3774-03	DB25 to Ford OBD I cable
	3774-04	DB25 to Chrysler OBD I cable
	3774-05	Cigarette plug power cord

